

# STAVROS LALAS

## I. Personal data

- **Present position:** Full Professor, University of Thessaly
- **Work address:** Terma N. Temponera str., GR-43100, Karditsa, Greece
- **Tel. No:** +30-24410-64783, **Fax:** +30-24410-64781, **Mob.** +30-6974725803
- **E-mail:** slalas@uth.gr
- **Linkedin:** <https://www.linkedin.com/in/stavros-lalas-1796bb4b/?originalSubdomain=gr>
- **ResearchGate:** [https://www.researchgate.net/profile/Stavros\\_Lalas/?ev=hdr\\_xprf](https://www.researchgate.net/profile/Stavros_Lalas/?ev=hdr_xprf)
- **Google Scholar:** <https://scholar.google.gr/citations?user=hAylkCYAAAJ&hl=el>

## II. Education

- **Doctor of Philosophy (1998).** Quality and stability characterisation of *Moringa oleifera* seed oil. University of Lincolnshire and Humberside, United Kingdom.
- **Bachelor in Food Technology (1995).** Department of Food Technology. School of Food Technology and Nutrition, T.E.I. of Athens, Athens, Greece.
- **Bachelor in Agricultural Technology (1991).** Department of Agricultural Technology. School of Agricultural Technology, T.E.I. of Western Macedonia, Florina, Greece.

## III. Research and Work activities

- Participation in **47** international and national research programs (in **18** as Scientific Coordinator).
- **Scientific coordinator** in research agreements with Vioryl S.A. (chemical industry, Afidnes, Greece), Farmer's Agricultural Cooperative "New Union" (Karditsa, Greece) and Institut de l' Olivier (Sfax, Tunisia).
- **82** published research in peer reviewed international scientific journals.
- **2** chapters in books.
- More than **3600** citations. The h-index is **35**.
- **58** presentations in international and national conferences.
- Editorial Board in **16** international scientific journals.
- Reviewer in **123** international scientific journals κατ **16** special issues.
- Member of the committee of **11** PhD Thesis (in 4 as supervisor), **22** MSc Thesis (in 15 as supervisor) and reviewer of **4** (University of Newcastle, Australia), **4** (Government College University Lahore, Pakistan) and **3** (University of Sargodha, Pakistan) PhD Thesis.
- The publication Chatzilazarou et al. (*J. Food Lip.*, 2006, 13, 27-35) was selected as 2006 best food science and nutrition research on Food Lipids.
- Two published methods (Tsaknis et al., *Analyst*, 1998, 123, 325-327 and Tsaknis et al., *Analyst*, 1999, 124, 842-845) were included in Biomedicine (ISSN 0261 - 4707, Sheffield Academic Press).
- Certificate in HACCP Principles and their Application in Food Safety from The Royal Institute of Public Health and Hygiene (United Kingdom).
- Member of the **National Food Safety Authority** (E.F.E.T).
- Member of the **Technical Committee for HACCP** of the Hellenic Accreditation System (E.SY.D).
- Lead Auditor (ISO 9000 Series Standards). International Registered of Certified Auditors (IRCA). TÜV Hellas (RWTÜV).
- Member of the Board (until 2014) at **Hellenic Naric**.
- Member of the **American Chemical Society** ([www.acs.org](http://www.acs.org)).
- Referee of **The Institute of Food Science & Technology (IFST)**, London, United Kingdom.
- Member of the **Greek Lipid Forum**.

- Member of the International Observatory of Oxidative Stress.

#### IV. Publications

##### *International journals*

1. **Characterisation of crude and purified pumpkin seed oil.** (1997). Tsaknis J., Lalas S. and Lazos E. *Grasas Y Aceites*, 48 (5), 267-272.
2. **Quality changes of selected vegetable oils during frying of doughnuts.** (1997). Aggelousis G. and Lalas S. *Rivista Italiana Delle Sostanze Grasse*, LXXIV, 559-565.
3. **Comparison of antimicrobial activity of seeds of different *Moringa oleifera* varieties.** (1997). Spiliotis V., Lalas S., Gergis V. and Dourtoglou V. *Pharmaceutical and Pharmacological Letters*, 7 (4), 39-40.
4. **Characteristics and composition of tomato seed oil.** (1998). Lazos E., Tsaknis J., and Lalas S. *Grasas Y Aceites*, 49(5/6), 440-445.
5. **A total characterisation of *Moringa oleifera* Malawi seed oil.** (1998). Tsaknis J., Lalas S., Gergis V. and Spiliotis V. *Rivista Italiana Delle Sostanze Grasse*, 75 (1), 21-27.
6. **Quality changes of *Moringa oleifera*, variety of Blantyre seed oil during frying.** (1998). Tsaknis J., Lalas S., Gergis V., Dourtoglou V. and Spiliotis V. *Rivista Italiana Delle Sostanze Grasse*, 75 (4), 181-190.
7. **Rapid high-performance liquid chromatography method of determining malondialdehyde for evaluation of rancidity in edible oils.** (1998). Tsaknis J., Lalas S., Hole M., Smith G., and Tychopoulos V. *Analyst*, 123, 325-327. *Η μέθοδος επιλέχθηκε και περιλήφθηκε στην εγκυκλοπαίδεια Biomedicine (ISSN 0261 - 4707) που εκδίδεται από την Sheffield Academic Press.*
8. **Determination of malondialdehyde in traditional fish products by HPLC.** (1999). Tsaknis J., Lalas S., and Evmorfopoulos E. *Analyst*, 124, 843-845. *Η μέθοδος επιλέχθηκε και περιλήφθηκε στην εγκυκλοπαίδεια Biomedicine που εκδίδεται από την Sheffield Academic Press.*
9. **Characterization of *Moringa oleifera* variety Mbololo seed oil of Kenya.** (1999). Tsaknis J., Lalas S., Gergis V., Dourtoglou V. and Spiliotis V. *Journal of Agricultural and Food Chemistry*, 47 (11), 4495-4499.
10. **Quality changes of *Moringa oleifera*, variety Mbololo of Kenya, seed oil during frying.** (1999). Tsaknis J., Spiliotis V., Lalas S., Gergis V. and Dourtoglou V. *Grasas Y Aceites*, 50 (1), 37-48.
11. **Quick regiospecific analysis of fatty acids in triacylglycerols with GC using 1,3-specific lipase in butanol.** (2001). Dourtoglou Th., Stefanou E., Lalas S., Dourtoglou V. and Poulos C. *Analyst*, 126 (7), 1032-1036.
12. **Stability during frying of *Moringa oleifera* seed oil variety "Periyakulam 1".** (2002). Tsaknis J. and Lalas S. *Journal of Food Composition and Analysis*, 15, 79-101.
13. **Characterisation of *Moringa oleifera* seed oil variety "Periyakulam 1".** (2002). Lalas S. and Tsaknis J. *Journal of Food Composition and Analysis*, 15, 65-77.
14. **Effectiveness of the antioxidants BHA and BHT in selected vegetable oils during intermittent heating.** (2002). Tsaknis J., Lalas S. and Protopapa E. *Grasas Y Aceites*, 53 (2), 199-205.
15. **Extraction and identification of natural antioxidant from the seeds of *Moringa oleifera* tree variety of Malawi.** (2002). Lalas S. and Tsaknis J. *Journal of the American Oil Chemists' Society*, 79 (7), 677-683.
16. **Characterisation of *Moringa stenopetala* seed oil variety "Marigat" from island Kokwa.** (2003). Lalas S., Tsaknis J., and Sfomos K. *European Journal of Lipid Science and Technology*, 105 (1), 23-31.
17. **Detection of olive oil adulteration using principal component analysis applied on total and regio FA content.** (2003). Dourtoglou V., Dourtoglou Th., Antonopoulos A., Stefanou E., Lalas S. and Poulos C. *Journal of the American Oil Chemists' Society*, 80 (3), 203-208.

18. **Use of rosemary extract in preventing oxidation during deep fat frying of potato chips.** (2003). Lalas S. and Dourtoglou V. *Journal of the American Oil Chemists' Society*, 80 (6), 579-583.
19. **Methanolic extract of *Verbascum macrurum* as a source of natural preservatives against oxidative rancidity.** (2003). Aligiannis N., Mitaku S., Tsitsa-Tsardis E., Harvala C., Tsaknis I., Lalas S., and Haroutounian S. *Journal of Agricultural and Food Chemistry*, 51 (25), 7308-7312.
20. **Extraction and identification of natural antioxidant from *Sideritis euboaea* (mountain tea).** (2005). Tsaknis J. and Lalas S. *Journal of Agricultural and Food Chemistry*, 53 (16), 6375-6381.
21. **Physicochemical changes of olive oil and selected vegetable oils during frying.** (2006). Chatzilazarou A., Gortzi O., Lalas S., Zoidis E. and Tsaknis J. *Journal of Food Lipids*, 13 (1), 27-35. *Η δημοσίευση αυτή ανακηρύχτηκε από τον εκδοτικό οίκο Blackwell Publishing ως η καλύτερη για το έτος 2006 στον τομέα των λιπιδίων τροφίμων (Food Lipids)*.
22. **Effect of essential oil of *Citrus cinensis* cv new hall - *Citrus aurantium* (indigenous in Greece) upon growth of *Yarrowia lipolytica*.** (2006). O. Gortzi, S. Papanikolaou, S. Lalas, M. Galiotou-Panayotou and P. Mitliaga. *Planta Medica*, 72 (11), 1074-1074.
23. **Application of cloud point extraction using surfactants in the isolation of physical antioxidants (phenols) from olive mill wastewater** (2006). E. Katsoyannos, A. Chatzilazarou, O. Gortzi, S. Lalas, Sp. Konteles and P. Tataridis. *Fresenius Environmental Bulletin*, 15 (9B), 1122-1125.
24. **Frying stability of *Moringa stenopetala* seed oil.** (2006). Lalas S., Gortzi O. and Tsaknis J. *Plant Foods for Human Nutrition*, 61 (2), 99-108.
25. **Reevaluation of antimicrobial and antioxidant activity of *Thymus* spp. extracts before and after encapsulation in liposomes.** (2006). O. Gortzi, S. Lalas, I. Chinou and J. Tsaknis. *Journal of Food Protection*, 69 (12), 2998-3005.
26. **Evaluation of the antimicrobial and antioxidant activities of *Origanum dictamnus* extracts before and after encapsulation in liposomes.** (2007). O. Gortzi, S. Lalas, J. Tsaknis and I. Chinou. *Molecules*, 12, 932-945.
27. **Enhanced bioactivity of *Citrus limon* (Lemon Greek cultivar) extracts, essential oil and isolated compounds before and after encapsulation in liposomes.** (2007). O. Gortzi, S. Lalas, J. Tsaknis, I. Chinou. *Planta Medica*, 73 (9), 881-881.
28. **Irradiation effect on oxidative condition and tocopherol content of vegetable oils.** (2007). Lalas S., Gortzi O., Tsaknis J. and Sfomos K. *International Journal of Molecular Sciences*, 8, 533-540.
29. **Protection of traditional Greek foods using a plant extract.** (2007). Lalas S., Aggelousis G., Gortzi O., Dourtoglou V., and Tsaknis J. *Italian Journal of Food Science*, 19 (3), 279-286.
30. **Hepatoprotective effect of *Pistacia lentiscus* var. *Chia* total extract against carbon tetrachloride-induced liver damage in rats.** (2008). Mavridis S.K., Gortzi O., Lalas S., Paraschos S., Skaltsounis A.L., Pappas I.S. *Planta Medica*, 74 (9), 1023-1023.
31. **Recovery of natural antioxidants from olive mill wastewater using Genapol-X080.** (2008). Gortzi O., Lalas S., Chatzilazarou A., Katsoyannos E., Papakonstandinou Sp. and Dourtoglou E. *Journal of the American Oil Chemists' Society*, 85 (2), 133-140.
32. **Reevaluation of bioactivity and antioxidant activity of *Myrtus communis* extract before and after encapsulation in liposomes.** (2008). O. Gortzi, S. Lalas, I. Chinou and J. Tsaknis. *European Food Research and Technology*, 226 (3), 583-590.
33. **Effect of *Citrus* essential oil addition upon growth and cellular lipids of *Yarrowia lipolytica* yeast.** (2008). Papanikolaou S., Gortzi O., Margeli E., Chinou I., Galiotou-Panayotou M., Lalas S. *European Journal of Lipid Science and Technology*, 110 (11), 997-1006.
34. **Liposomal incorporation of carvacrol and thymol isolated from the essential oil of *Origanum dictamnus* L. and *in vitro* antimicrobial activity.** (2009). C.C. Liolios, O. Gortzi, S. Lalas, J. Tsaknis and I. Chinou. *Food Chemistry*, 112, 77-83.

35. Removal of polyphenols from wine sludge using cloud point extraction. (2010). A. Chatzilazarou, E. Katsoyannos, O. Gortzi, S. Lala, Y. Paraskevopoulos, E. Dourtoglou, and J. Tsaknis. *Journal of the Air & Waste Management Association*, 60 (4), 454-459.
36. Chemical composition - biological activities of selected samples of propolis from South Greece. (2010). K. Graikou, I. Chinou, O. Gortzi, S. Lala. *Planta Medica*, 76 (12), 1198-1198.
37. Enrichment of table olives with polyphenols from olive leaves. (2011). S. Lala, V. Athanasiadis, O. Gortzi, M. Bounitsi, I. Giovanoudis, J. Tsaknis, F. Bogiatzis. *Food Chemistry*, 127 (4), 1521-1525.
38. Effects of essential oils on milk production and composition, and rumen microbiota in Chios dairy ewes. (2011). Giannenas, I., Skoufos, J., Giannakopoulos, C., Wiemann, M., Gortzi, O., S. Lala, and Kyriazakis, I. *Journal of Dairy Science*, 94 (11), 5569-5577.
39. Determination of antimicrobial activity and resistance to oxidation of *Moringa peregrina* seed oil (2012). Lala S., Gortzi O, Athanasiadis V., Tsaknis J. and Chinou I. *Molecules*, 17, 2330-2334.
40. Development and evaluation of a novel membrane mimic system (PC/CHOL liposome-  $\beta$ -Lg formulation) for vitamin E delivery. (2012). M. Rovoli, O. Gortzi, S. Lala and G. Kontopidis. *Annals of Nutrition and Metabolism* 60, 131-145. DOI:10.1159 / 000337881.
41. Evaluation of the suitability of low hazard surfactants for the separation of phenols and carotenoids from red-flesh orange juice and olive mill wastewater using cloud point extraction. (2012). E. Katsoyannos, O. Gortzi, Ar. Chatzilazarou, V. Athanasiadis, J. Tsaknis, and S. Lala. *Journal of Separation Science*, 35 (19), 2665-2670.
42. Full characterisation of *Crambe abyssinica* Hochst. seed oil. (2012). S. Lala, O. Gortzi, V. Athanasiadis, Ef. Dourtoglou and V. Dourtoglou. *Journal of the American Oil Chemists' Society*, 89 (12), 2253-2258. Η δημοσίευση έχει καταγραφεί στη βάση AGRIS (International Information System for the Agricultural science and technology) του Food and Agriculture Organization of the United Nations (<http://agris.fao.org/agris-search/search.do?recordID=US201400042500>)
43. An improved method for the discrimination of oils and fats. (2013). Th. Dourtoglou, V. Dourtoglou, V. Diamadopoulou and S. Lala. *Analytical Methods*, 5(2), 546-553.
44. Effect of artificial aging using eleven different wood chips on the antioxidant activity, phenolic profile, sensory properties and color of two Greek red wines. (2013). O. Gortzi, X. Metaxa, G. Mantanis and S. Lala. *Food Chemistry*, 141 (3), 2887-2895.
45.  $\beta$ -Lactoglobulin improves liposome's encapsulation properties for vitamin E delivery. (2014). Gortzi O., Rovoli M., Lala S. and Kontopidis G. *Journal of Liposome Research*, 24 (1), 74-81.
46. Discrimination of varietal wines according to their volatiles. (2014). Dourtoglou V., Antonopoulos A., Lala S. and Dourtoglou Th. *Food Chemistry*, 159, 181-187.
47. Study of antioxidant and antimicrobial activity of Chios mastic gum fractions (neutral, acidic) before and after encapsulation in liposomes. (2014). O. Gortzi, V. Athanasiadis, S. Lala, I. Chinou, and J. Tsaknis. *Journal of Food Processing & Technology*, 5, 8 <http://dx.doi.org/10.4172/2157-7110.1000355>.
48. Development and evaluation of  $\alpha$  phospholipid-sterol-protein membrane resembling system. (2015). Gortzi O., Rovoli M., Lala S. and Kontopidis G. *Food Biophysics*, 10 (3), 300-308.
49. Polyphenolic burden and *in vitro* antioxidant properties of *Moringa oleifera* root extracts. (2016). I. Karageorgou, Sp. Grigorakis, S. Lala, and D.P. Makris. *Journal of Herbmed Pharmacology*, 5 (1), 33-38.
50. Enhanced extraction of antioxidant polyphenols from *Moringa oleifera* lam. leaves using a bio-molecule-based low-transition temperature mixture. (2017). I. Karageorgou, Sp. Grigorakis, S. Lala, and D. Makris. *European Food Research and Technology*, 243 (10), 1839–1848.
51. Nutritional characterization of leaves and herbal tea from the leaves of *Moringa oleifera* cultivated in Greece. (2017). S. Lala, V. Athanasiadis, I. Karageorgou, G. Batra, G.D. Nanos, D.P. Makris. *Journal of Herbs, Spices & Medicinal Plants*, 23 (4), 320-333.

52. **Effect of methyl β-cyclodextrin on radical scavenging kinetics of olive leaf extracts and interactions with ascorbic acid** (2017). V. Athanasiadis, S. Lalas, D.P. Makris, *ChemEngineering*, 1(1), 6, doi:10.3390/chemengineering1010006.
53. **Enhanced antioxidant activity of *Capsicum annuum* L. and *Moringa oleifera* L. extracts after encapsulation in microemulsions.** (2017). G. Batra, O. Gortzi, S.I. Lalas, A. Galidi, A. Alibade, G.D. Nanos. *ChemEngineering*, 1(2), 15, DOI:10.3390/chemengineering1020015.
54. **Humic and fulvic acids as potentially toxic metal reducing agents in water.** (2017). S. Lalas, V. Athanasiadis, and V. Dourtoglou. *CLEAN - Soil, Air, Water*, 46 (2), 1700608.
55. **Highly efficient extraction of antioxidant polyphenols from *Olea europaea* leaves using an eco-friendly glycerol/glycine deep eutectic solvent.** (2018). V. Athanasiadis, Sp. Grigorakis, S. Lalas and D. Makris. *Waste and Biomass Valorization*, 9 (11), 1985-1992.
56. **Methyl β-cyclodextrin as a booster for the extraction for *Olea europaea* leaf polyphenols with a bio-based deep eutectic solvent.** (2018). V. Athanasiadis, Sp. Grigorakis, S. Lalas and D. Makris. *Biomass Conversion and Biorefinery*, 8(2), 345-355.
57. **Effect of carotenoids, extracted from dry tomato waste, on the stability and characteristics of various vegetable oils.** (2018). V. Nour, A.R. Corbu, P. Rotaru, I. Karageorgou and S. Lalas. *Grasas Y Aceites*, 69 (1), e238.
58. **Use of 2,5-dimethyl-4-hydroxy-3(2H)-furanone in preventing oxidation during fat frying of potato chips and baking of croissants.** (2018). S. Lalas, V. Athanasiadis, K. Katsoulis, I. Karageorgou, E. Bozinou and V.G. Dourtoglou. *Journal of Food Measurement and Characterization*, 12 (2), 1211-1218.
59. **Incorporation of 2-hydroxypropyl β-cyclodextrin in a biomolecule-based low-transition temperature mixture (LTTM) boosts efficiency of polyphenol extraction from *Moringa oleifera* Lam leaves.** (2018). I. Karageorgou, Sp. Grigorakis, S. Lalas, I. Mourtzinos, D.P. Makris. *Journal of Applied Research on Medicinal and Aromatic Plants*, 9 (5), 62-69.
60. **Stability effects of methyl β-cyclodextrin on *Olea europaea* leaf extracts in a natural deep eutectic solvent** (2018). Athanasiadis V., Grigorakis S., Lalas S., Makris D.P. *European Food Research & Technology*, 244 (10), 1783-1792.
61. **The effect of 2-hydroxypropyl β-cyclodextrin on the stability of polyphenolic compounds from *Moringa oleifera* Lam leaf extracts in a natural low-transition temperature mixture** (2018). Karageorgou I., Grigorakis S., Lalas S., Makris D.P. *Nova Biotechnologica et Chimica*, 17(1), 29-37.
62. **Pulsed Electric Field extraction and antioxidant activity determination of *Moringa oleifera* dry leaves: A comparative study with other extraction techniques** (2019). Bozinou E., Karageorgou I., Batra G., Dourtoglou V.G. and Lalas S.I. *Beverages*, 5 (1), 8. doi:10.3390/beverages5010008
63. ***In vitro* and *in vivo* assessment of vitamin A encapsulation in a liposome-protein delivery system** (2019). M. Rovoli, I. Pappas, O. Gortzi, S. Lalas and Kontopidis G. *Journal of Liposome Research*, 29 (2), 142-152.
64. **Study of the self-stabilization ability of Tzatziki (a traditional Greek ready-to-eat deli salad).** (2019). S. Lalas, V. Athanasiadis, I. Karageorgou, E. Bozinou, and V. Dourtoglou. *International Journal of Food Studies*, 8 (1), 76-86.
65. **Drying optimization to obtain carotenoid-enriched extracts from industrial peach processing waste (pomace)** (2019). S. Lalas, A. Alibade, E. Bozinou, D. Makris. *Beverages*, 5, 43.
66. **Polyphenol extraction from *Humulus lupulus* (hop) using a neoteric glycerol/L-alanine deep eutectic solvent: optimisation, kinetics and the effect of ultrasound-assisted pretreatment** (2019). A. Lakka, I. Karageorgou, O. Kaltsa, G. Batra, E. Bozinou, S. Lalas, D. Makris. *AgriEngineering*, 1, 403-417, doi:10.3390/agriengineering1030030.
67. **Saffron processing wastes as a bioresource of high-added value compounds: Development of a green extraction process for polyphenol recovery using a natural deep eutectic solvent** (2019).

- A. Lakka, Sp. Grigorakis, I. Karageorgou, G. Batra, O. Kaltsa, E. Bozinou, S. Lalas and D.P. Makris. *Antioxidants*, 8, 586. doi:10.3390/antiox8120586.
68. **The effect of ultrasonication pretreatment on the production of polyphenol-enriched extracts from *Moringa oleifera* L. (drumstick tree) using a novel bio-based deep eutectic solvent** (2020). A. Lakka, Sp. Grigorakis, O. Kaltsa, I. Karageorgou, G. Batra, E. Bozinou, S. Lalas, D.P. Makris. *Applied Sciences*, 10 (1), 220. DOI: 10.3390/app10010220.
69. **A green extraction process for polyphenols from elderberry (*Sambucus nigra*) flowers using deep eutectic solvent and ultrasound-assisted pretreatment** (2020). O. Kaltsa, A. Lakka, Sp. Grigorakis, I. Karageorgou, G. Batra, E. Bozinou, S. Lalas, D.P. Makris. *Molecules*, 25 (4), 921. DOI: 10.3390/molecules25040921.
70. **Pulsed electric field extraction of α and β-acids from pellets of *Humulus Lupulus* (hop)** (2020). G. Ntourtoglou, E.A. Tsapou, F. Drosou, E. Bozinou, S. Lalas, P. Tataridis and V. Dourtoglou. *Frontiers in Bioengineering and Biotechnology*, 8, 297. DOI: 10.3389/fbioe.2020.00297.
71. **Green valorization of olive leaves for the production of polyphenol-enriched extracts using an environmentally benign deep eutectic solvent** (2020). O. Kaltsa, Sp. Grigorakis, A. Lakka, E. Bozinou, S. Lalas, D.P. Makris. *AgriEngineering*, 2, 226–239. doi:10.3390/agriengineering2020014.
72. **Development of a low-temperature and high-performance green extraction process for the recovery of polyphenolic phytochemicals from waste potato peels using hydroxypropyl β-cyclodextrin** (2020). A. Lakka, S. Lalas, D. Makris. *Applied Sciences*, 10, 3611; doi:10.3390/app10103611.
73. **Optimization of the extraction of antioxidants from winery wastes using cloud point extraction and a surfactant of natural origin (lecithin)** (2020). A. Alibade, G. Batra, E. Bozinou, C. Salakidou and S. Lalas. *Chemical Papers*, 74(12), 4517-4524. DOI: 10.1007/s11696-020-01269-0.
74. **Hydroxypropyl-β-cyclodextrin as a green co-solvent in the aqueous extraction of polyphenols from waste orange peels** (2020). A. Lakka, S. Lalas, D. Makris. *Beverages*, 6, 50. doi:10.3390/beverages6030050.
75. **In situ creation of the natural phenolic aromas of beer: A pulsed electric field applied to wort-enriched flax seeds.** (2020). E.A. Tsapou, G. Ntourtoglou, F. Drosou, P. Tataridis, Th. Dourtoglou, S. Lalas, V. Dourtoglou. *Frontiers in Bioengineering and Biotechnology*, 8, 583617. DOI: 10.3389/fbioe.2020.583617.
76. **Glycerol and glycerol-based deep eutectic mixtures as emerging green solvents for polyphenol extraction: the evidence so far** (2020). D. Makris, S. Lalas. *Molecules*, 25, 5842.
77. **Manufacturing process and physicochemical analysis of Kariki: A traditional cheese from the island of Tinos, Greece** (2021). D. Ourailoglou, V. Athanasiadis, E. Bozinou, C. Salakidou, E. Evmoropoulou and S. Lalas. *International Food Research Journal*, 28 (2), 262-268.
78. **Extraction of volatile aroma components from roasted oak wood using pulsed electric field.** (2020). G.V. Ntourtoglou, F. Drosou, Y. Enoch, E.A. Tsapou, E. Bozinou, V. Athanasiadis, A. Chatzilazarou, E.G. Dourtoglou, S. Lalas and V.G. Dourtoglou. *Journal of Food Processing and Preservation*, XX, e15577. DOI: 10.1111/jfpp.15577.
79. **Evaluation of Pulsed Electric Field polyphenol extraction from *Vitis vinifera*, *Sideritis scardica* and *Crocus sativus*.** (2021). A. Lakka, E. Bozinou, D.P. Makris and S.I. Lalas. *Chemengineering*, 5 (2), 25. DOI: 10.3390/chemengineering5020025
80. **Encapsulation of *Moringa oleifera* extract in Ca-alginate chocolate beads: physical and antioxidant properties.** (2021). O. Kaltsa, A. Alibade, G. Batra, E. Bozinou, D.P. Makris and S.I. Lalas. *Journal of Food Quality*, accepted for publication. DOI: 10.1155/2021/5549873
81. **Humic and Fulvic Acids as specific sorbents of herbicides** (2021). E. Vrantsi, A. Lakka, E. Bozinou, V. Athanasiadis, E.S. Papadaki, V.G. Dourtoglou, and S.I. Lalas. *CLEAN - Soil, Air, Water*, Accepted for publication.

82. **Use of Pulsed Electric Field as a low-temperature and high-performance “green” extraction technique for the recovery of high added value compounds from olive leaves** (2021). V. Pappas, A. Lakka, D. Palaiogiannis, E. Bozinou, G. Ntouroglou, G. Batra, V. Athanasiadis, D.P. Makris, V.G. Douroglou, and S.I. Lalas. Beverages, Accepted for publication.

*Books*

1. Lalas S. (2007). **Quality of frying oil** (Chapter 4). In: *Deep Fat Frying of Foods*, (Eds. Sahin S., Sumnu S.G.). CRC Press (Taylor & Francis Group), pp. 57-80.
2. Tsaknis J., Timbis D., Gortzi O., Lalas S., and Tsakali H. (2014). **Health and Food Safety in foodservice of Hospitals**. T.E.I. of Athens (Department of Food Technology). ISBN 978-960-98739-5-6. This book is part of the education agenda of Greek National Food Authority (EFET).